

2025 UPDATE

TECHNICAL SPECIFICATIONS

Recommended Replacement

Wearing Schedule

Pack Size

Proprietary Technology

Lens Material

Dk/t Value[†] (edge corrected)

Water Content

Visibility Tint

 Approximate UV Blocking^{*A}

I/O Mark

Orientation Mark

Centre Thickness (mm @ -3.00D)

Parameters BC (mm) / Dia (mm) Power Range (D)



ACUVUE® OASYS MAX 1-Day

AVAILABLE JULY 21, 2025



ACUVUE® OASYS MAX 1-Day for ASTIGMATISM



ACUVUE® OASYS MAX 1-Day MULTIFOCAL





ACUVUE® OASYS MAX 1-Day MULTIFOCAL for ASTIGMATISM



ACUVUE® OASYS 1-Day



ACUVUE® OASYS 1-Day for ASTIGMATISM

	ACUVUE® OASYS MAX 1-Day	ACUVUE® OASYS MAX 1-Day for ASTIGMATISM	ACUVUE® OASYS MAX 1-Day MULTIFOCAL	ACUVUE® OASYS MAX 1-Day MULTIFOCAL for ASTIGMATISM	ACUVUE® OASYS 1-Day	ACUVUE® OASYS 1-Day for ASTIGMATISM
Daily Disposable	Daily Disposable	Daily Disposable	Daily Disposable	Daily Disposable	Daily Disposable	Daily Disposable
Daily Wear	Daily Wear	Daily Wear	Daily Wear	Daily Wear	Daily Wear	Daily Wear
Pack Size	30 and 90 Packs	30 pack	30 and 90 Packs	30 pack	30 and 90 Packs	30 and 90 Packs
Proprietary Technology	<ul style="list-style-type: none"> TearStable™ Technology OptiBlue™ Light Filter[§] 	<ul style="list-style-type: none"> TearStable™ Technology OptiBlue™ Light Filter[§] Cylinder Optimized BLINK STABILIZED® Design 	<ul style="list-style-type: none"> TearStable™ Technology OptiBlue™ Light Filter[§] PUPIL OPTIMIZED DESIGN 	<ul style="list-style-type: none"> TearStable™ Technology OptiBlue™ Light Filter[§] PUPIL OPTIMIZED DESIGN BLINK STABILIZED® Design 	HydraLuxe®	<ul style="list-style-type: none"> HydraLuxe® BLINK STABILIZED® Design
Lens Material	senofilcon A	senofilcon A	senofilcon A	senofilcon A	senofilcon A	senofilcon A
Dk/t Value [†] (edge corrected)	121 x 10 ⁻⁹	129 x 10 ⁻⁹	147 x 10 ⁻⁹	129 x 10 ⁻⁹	121 x 10 ⁻⁹	129 x 10 ⁻⁹
Water Content	38%	38%	38%	38%	38%	38%
Visibility Tint	✓	✓	✓	✓	✓	✓
Approximate UV Blocking ^{*A}	Blocks 100% of UVB & 99.9% of UVA	Blocks 100% of UVB & 99.9% of UVA	Blocks 100% of UVB & 99.9% of UVA	Blocks 100% of UVB & 99.9% of UVA	Blocks >99.9% of UVB & ~96.1% of UVA	Blocks >99.9% of UVB & ~96.1% of UVA
I/O Mark		No		No		No
Orientation Mark	No	Vertical single lines at 6 and 12 o'clock	No	Vertical single lines at 6 and 12 o'clock	No	Vertical single lines at 6 and 12 o'clock
Centre Thickness (mm @ -3.00D)	0.085	0.080	0.070	0.080	0.085	0.080
Parameters BC (mm) / Dia (mm) Power Range (D)	<p>8.5/14.3 9.0/14.3</p> <p>90 Packs available in 8.5 BC</p> <p>Plano</p> <p>-0.50D to -12.00D</p> <p>+0.50D to +8.00D</p> <p>(in 0.50D steps above ±6.00D)</p>	<p>8.5/14.3</p> <p>Plano to -6.00D (in 0.25D steps)</p> <p>Cyl: -0.75, -1.25, -1.75, -2.25**</p> <p>Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p> <p>**Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p> <p>-6.50D to -9.00D (in 0.50D steps)</p> <p>Cyl: -0.75, -1.25, -1.75</p> <p>Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p> <p>+0.25D to +4.00D (in 0.25D steps)</p> <p>Cyl: -0.75, -1.25, -1.75</p> <p>Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p>	<p>8.4/14.3</p> <p>-9.00D to +6.00D (in 0.25D steps)</p> <p>ADDS:</p> <p>LOW: +0.75D to +1.25D</p> <p>MID: +1.50D to +1.75D</p> <p>HIGH: +2.00D to +2.50D</p>	<p>8.5/14.3</p> <p>-9.00D to +6.00D (in 0.25D steps)</p> <p>Cyl: 1.00D (fits up to 1.75D)</p> <p>Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p> <p>ADDS:</p> <p>LOW: +0.75D to +1.25D</p> <p>MID: +1.50D to +1.75D</p> <p>HIGH: +2.00D to +2.50D</p>	<p>8.5/14.3 9.0/14.3</p> <p>-0.50D to -12.00D</p> <p>+0.50D to +8.00D</p> <p>(in 0.50D steps above ±6.00D)</p>	<p>8.5/14.3</p> <p>Plano to -6.00D (in 0.25D steps)</p> <p>Cyl: -0.75, -1.25, -1.75, -2.25**</p> <p>Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p> <p>**Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p> <p>-6.50D to -9.00D (in 0.50D steps)</p> <p>Cyl: -0.75, -1.25, -1.75</p> <p>Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p> <p>+0.25D to +4.00D (in 0.25D steps)</p> <p>Only available in 30 Packs</p> <p>Cyl: -0.75, -1.25, -1.75</p> <p>Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°</p>

Learn More at www.jnvisionpro.com/en-ca/

For more product information



Find the right fit with the online ACUVUE® Fitting Calculators



For product-related inquiries



Customer Service

Toll Free
1-800-267-5098

Email
jjvisioncare@its.jnj.com

Internet Ordering and Website
www.jnvisionpro.com/en-ca/

[§]Filtering of HEV light by contact lenses has not been demonstrated to confer any health benefit to the user, including but not limited to retinal protection, protection from cataract progression, reduced eye strain, improved contrast, improved acuity, reduced glare, improved low light vision, or improved circadian rhythm/sleep cycle. The Eye Care Professional should be consulted for more information.

[†]Oxygen transmissibility measured via polarographic method at centre -3.00D lens using boundary corrected, edge corrected Dk value. Units (cm/sec) (ml O₂/ml x mm Hg) at 35°C.

^{*}Helps protect against transmission of harmful UV radiation to the cornea & into the eye.

WARNING: UV-absorbing contact lenses are NOT substitutes for protective UV-absorbing eyewear such as UV-absorbing goggles or sunglasses because they do not completely cover the eye and surrounding area. You should continue to use UV-absorbing eyewear as directed. **NOTE:** Long-term exposure to UV radiation is one of the risk factors associated with cataracts. Exposure is based on a number of factors such as environmental conditions (altitude, geography, cloud cover) and personal factors (extent and nature of outdoor activities). UV-blocking contact lenses help provide protection against harmful UV radiation. However, clinical studies have not been done to demonstrate that wearing UV-blocking contact lenses reduces the risk of developing cataracts or other eye disorders. Consult your eye care professional for more information.

Important Safety Information: ACUVUE® Contact Lenses are indicated for vision correction. As with any contact lens, eye problems, including corneal ulcers, can develop. Some wearers may experience mild irritation, itching or discomfort. Lenses should not be prescribed if patients have any eye infection, or experience eye discomfort, excessive tearing, vision changes, redness or other eye problems. Consult the package insert for complete information. Complete information is also available from Johnson & Johnson Vision Care, Inc. by calling 1-800-267-5098 or by visiting www.jnvisionpro.com/en-ca/.

ACUVUE®

2025 UPDATE



TECHNICAL SPECIFICATIONS

Recommended Replacement

Wearing Schedule

Pack Size

Proprietary Technology

Lens Material

Dk/t Value[†] (edge corrected)

Water Content

Visibility Tint

Approximate UV Blocking^{†A}

I/O Mark

Orientation Mark

Centre Thickness (mm @ -3.00D)

Parameters BC (mm) / Dia (mm) Power Range (D)

1-DAY ACUVUE® MOIST

1-DAY ACUVUE® MOIST for ASTIGMATISM

1-DAY ACUVUE® MOIST MULTIFOCAL

ACUVUE® VITA®

ACUVUE® VITA® for ASTIGMATISM

ACUVUE® OASYS

ACUVUE® OASYS for ASTIGMATISM

ACUVUE® OASYS MULTIFOCAL

Daily Disposable

Daily Disposable

Daily Disposable

1 Month DW

1 Month DW

1 Week EW or 2 Weeks DW

1 Week EW or 2 Weeks DW

1 Week EW or 2 Weeks DW

Daily Wear

Daily Wear

Daily Wear

Daily Wear

Daily Wear

Extended Wear Daily Wear

Extended Wear Daily Wear

Extended Wear Daily Wear

30 and 90 Packs

30 and 90 Packs

30 and 90 Packs

6 and 12 Packs

6 Pack

12 and 24 Packs

6 Pack

6 Pack

LACREON®

- LACREON®
- BLINK STABILIZED® Design

- LACREON®
- PUPIL OPTIMIZED DESIGN
- Hybrid Back Curve

HydraMax®

- HydraMax®
- BLINK STABILIZED® Design

HYDRACLEAR® PLUS

- HYDRACLEAR® PLUS
- BLINK STABILIZED® Design

- HYDRACLEAR® PLUS
- PUPIL OPTIMIZED DESIGN
- Hybrid Back Curve

etafilcon A

etafilcon A

etafilcon A

senofilcon C

senofilcon C

senofilcon A

senofilcon A

senofilcon A

25.5 x 10⁻⁹

23.8 x 10⁻⁹

25.5 x 10⁻⁹

147 x 10⁻⁹

129 x 10⁻⁹

147 x 10⁻⁹

129 x 10⁻⁹

147 x 10⁻⁹

58%

58%

58%

41%

41%

38%

38%

38%

✓

✓

✓

✓

✓

✓

✓

✓

Blocks ~97% of UVB & 82% of UVA

Blocks ~97% of UVB & 82% of UVA

Blocks ~97% of UVB & 82% of UVA

Blocks 99.8% of UVB & 93.4% of UVA

Blocks 99.8% of UVB & 93.4% of UVA

Blocks >99.9% of UVB & ~96.1% of UVA

Blocks >99.9% of UVB & ~96.1% of UVA

Blocks >99.9% of UVB & ~96.1% of UVA

123

No

123

123

No

123

No

123

No

Vertical single lines at 6 and 12 o'clock

No

No

Vertical single lines at 6 and 12 o'clock

No

Vertical single lines at 6 and 12 o'clock

No

0.084

0.090

0.084

0.070

0.080

0.070

0.080

0.070

8.5/14.2
9.0/14.2
-0.50D to -12.00D
+0.50D to +6.00D
(in 0.50D steps above -6.00D)



1-DAY ACUVUE® DEFINE® NATURAL SHINE®, VIVID STYLE and ACCENT STYLE. Find details at www.jnjvisionpro.com/en-ca/

8.5/14.5
Plano to -6.00D (in 0.25D steps)
Cyl: -0.75, -1.25, -1.75, -2.25**
Axis: 10° to 180° (in 10° increments)
**Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°

-6.50D to -9.00D (in 0.50D steps)
Cyl: -0.75, -1.25, -1.75
Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°

+0.25D to +4.00D (in 0.25D steps)
Only available in 30 Packs
Cyl: -0.75, -1.25, -1.75
Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°

8.4/14.3
+6.00D to -9.00D
(in 0.25D steps)

ADDS:
LOW: +0.75D to +1.25D
MID: +1.50D to +1.75D
HIGH: +2.00D to +2.50D

8.4/14.0
8.8/14.0
-0.50D to -12.00D
+0.50D to +8.00D
(in 0.50D steps above ±6.00D)

8.6/14.5
Plano to -6.00D (in 0.25D steps)
Cyl: -0.75, -1.25, -1.75, -2.25**
Axis: 10° to 180° (in 10° increments)
**Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°

-6.50D to -9.00D (in 0.50D steps)
Cyl: -0.75, -1.25, -1.75
Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°

+0.25D to +4.00D (in 0.25D steps)
Cyl: -0.75, -1.25, -1.75
Axis: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°

8.4/14.0
8.8/14.0
Plano (6 pack only)
-0.50D to -12.00D
+0.50D to +8.00D
(in 0.50D steps above ±6.00D)

8.6/14.5
Plano to +6.00D (in 0.25D steps)
-6.50D to -9.00D (in 0.50D steps)
Cyl: -0.75, -1.25, -1.75, -2.25, -2.75
Axis: 10° to 180° (in 10° increments)

+6.00D to -9.00D
(in 0.25D steps)

ADDS:
LOW: +0.75D to +1.25D
MID: +1.50D to +1.75D
HIGH: +2.00D to +2.50D

[†]Oxygen transmissibility measured via polarographic method at centre -3.00D lens using boundary corrected, edge corrected Dk value. Units (cm/sec)(ml O₂/ml x mm Hg) at 35° C.

^AHelps protect against transmission of harmful UV radiation to the cornea & into the eye.

WARNING: UV-absorbing contact lenses are NOT substitutes for protective UV-absorbing eyewear such as UV-absorbing goggles or sunglasses because they do not completely cover the eye and surrounding area. You should continue to use UV-absorbing eyewear as directed. **NOTE:** Long-term exposure to UV radiation is one of the risk factors associated with cataracts. Exposure is based on a number of factors such as environmental conditions (altitude, geography, cloud cover) and personal factors (extent and nature of outdoor activities). UV-blocking contact lenses help provide protection against harmful UV radiation. However, clinical studies have not been done to demonstrate that wearing UV-blocking contact lenses reduces the risk of developing cataracts or other eye disorders. Consult your eye care professional for more information.

Important Safety Information: ACUVUE® Contact Lenses are indicated for vision correction. As with any contact lens, eye problems, including corneal ulcers, can develop. Some wearers may experience mild irritation, itching or discomfort. Lenses should not be prescribed if patients have any eye infection, or experience eye discomfort, excessive tearing, vision changes, redness or other eye problems. Consult the package insert for complete information. Complete information is also available from Johnson & Johnson Vision Care, Inc. by calling 1-800-267-5098 or by visiting www.jnjvisionpro.com/en-ca/. © Johnson & Johnson and its affiliates 2025 2025PP07649



Find the right fit with the online ACUVUE® Fitting Calculators

ACUVUE®